ELSEVIER

Journal of the Autonomic Nervous System 61 (1996) 345–347

Journal of the
Autonomic
Nervous
System

Author Index

Abadie, C., Foucart, S., Pagé, P. and Nadeau, R.
Modulation of noradrenaline release from isolated human atrial appendages (61) 269
Akiyama, T., see Yamazaki, T. (61) 264
Anderson, L.C., see Garrett, J.R. (61) 26
Anderson, R.L., Gibbins, I.L. and Morris, J.L.
Non-noradrenergic sympathetic neurons project to extramuscular feed arteries and proximal intramuscular arteries of skeletal muscles in guinea-pig hindlimbs (61) 51
Anderson, W.P., see Malpas, S.C. (61) 70
Ando, Y., Asahara, K., Obayashi, K., Suhr, O., Yonemitsu, M., Yamashita, T., Tashima, K., Uchino, M. and Masayuki Ando,
Autonomic dysfunction and anemia in neurologic disorders (61) 145
Asahara, K., see Ando, Y. (61) 145

Barillot, J.C., see Frugière, A. (61) 87
Bartsch, T., see Häbler, H.-J. (61) 116
Bauce, L., see Williams, R.M. (61) 37
Beleites, B., see Brehmer, A. (61) 43
Beyer, J., see Forst, T. (61) 31
Brehmer, A. and Beleites, B.
Myenteric neurons with different projections have different dendritic tree patterns: a morphometric study in the pig ileum (61) 43
Brock, J.A., Van Helden, D.F., Dosen, P. and Rush, R.A.
Prevention of high blood pressure by reducing sympathetic innervation in the spontaneously hypertensive rat (61) 97
Buntzen, S., Hultén, L., Delbro, D. and Nordgren, S.
The effect of pelvic nerve stimulation on recto-anal motility in the cat (61) 243

Calaresu, F.R., see McKernan, A.M. (61) 128
Cavalcante de Albuquerque, A.A., Leal-Cardoso, J.H. and Weinreich, D.
Antigen-induced synaptic plasticity in sympathetic ganglia from actively and passively sensitized guinea-pigs (61) 139
Chang, C.J., Kao, J.-T., Lee, T.-L., Lai, C.-W. and Cheng, J.-T.
Comparison of isoproterenol with BRL37344 in activation of β_3-adrenoceptors to inhibit the uptake of [^{14}C]deoxy-D-glucose and translocation of glucose transporter (GLUT4) to membrane fraction in rat adipocytes (61) 191
Cheng, J.-T., see Chang, C.J. (61) 191
Cherniack, N.S., see Haxhiu, M.A. (61) 155
Ciampoli, D., see Young, H.M. (61) 103
Curt, A., Weinhardt, C. and Dietz, V.
Significance of sympathetic skin response in the assessment of autonomic failure in patients with spinal cord injury (61) 175

Dahlström, A., see Hou, X.-E. (61) 301
Davis, G. and Johns, E.J.
Renal nerve responses to somatic nerve activation in stroke-prone spontaneously hypertensive rats (61) 209
De Groat, W.C., see Kawatani, M. (61) 218
Deguchi, K., Takeuchi, H., Touge, T., Kamoda, M., Tsukaguchi, M., Sasaki, I. and Nishioka, M.
Significance of cognitive function in the elicitation of sympathetic skin response in healthy humans (61) 123
Delbro, D., see Buntzen, S. (61) 243
Dietz, V., see Curt, A. (61) 175
Dosen, P., see Brock, J.A. (61) 97
Dubeshter, B., see Muth, E.R. (61) 201

Erokwu, B.O., see Haxhiu, M.A. (61) 155

Fiekers, J.F., see Heppner, T.J. (61) 61
Forst, T., Pfützner, A., Jahn, C., Schmitz, H., Lichtwald, K., Beyer, J. and Lehnert, H.
Decreased sympatho-adrenal activity in diabetic patients with autonomic dysfunction following mental stress (61) 31
Foucart, S., see Abadie, C. (61) 269
Fritz, J.D. and Robertson, D.
Gene targeting approaches to the autonomic nervous system (61) 1
Frugière, A., Quintin, L. and Barillot, J.C.
Increased activity of bulbospinal cardiovascular neurons in the rat rostral ventrolateral medulla upon emergence from anaesthesia (61) 87

Garrett, J.R., Zhang X.S., Proctor, G.B. and Anderson, L.C.
Sequential secretion of rat submandibular kallikrein and peroxidase during intermittent sympathetic stimulation (61) 26
Gibbins, I.L., see Anderson, R.L. (61) 51
Grabau, C.E., see Ward, L.E. (61) 235

Häbler, H.-J., Bartsch, T. and Jänig, W.
Two distinct mechanisms generate the respiratory modulation in fibre activity of the rat cervical sympathetic trunk (61) 116
Haxhiu, M.A., Erokwu, B.O. and Cherniack, N.S.
The brainstem network involved in coordination of inspiratory activity and cholinergic outflow to the airways (61) 155
Head, G.A., see Malpas, S.C. (61) 70
Heistein, J., see Heppner, T.J. (61) 61
Heppner, T.J., Heistein, J. and Fiekers, J.F.
Muscarinic transmission decreases the number of SIF cells demonstrating catecholamine histofluorescence in rat superior cervical ganglia (61) 61
Hou, X.-E. and Dahlström, A.
Synaptic vesicle proteins in cells of the sympathoadrenal lineage (61) 301
Hricik, J.G. and Johnson, D.A.
Effects of *dl*-norephedrine and its enantiomers on norepinephrine uptake and release in isolated rat caudal artery (61) 186
Hultén, L., see Buntzen, S. (61) 243
Hunter, L.W., see Ward, L.E. (61) 235

Ikarashi, Y., see Takahashi, A. (61) 181
Ishikawa, H., see Naito, J. (61) 321
Ishimaru, H., see Takahashi, A. (61) 181
Itoh, T., see Shibahara, N. (61) 109

Jahn, C., see Forst, T. (61) 31
Jänig, W., see Häbler, H.-J. (61) 116
Jiang, W., see Muth, E.R. (61) 201
Jingu, H., see Miura, M. (61) 17
Johns, E.J., see Davis, G. (61) 209
Johnson, D.A., see Hricik, J.G. (61) 186
Johnson, P.J., see Young, H.M. (61) 103

Kamoda, M., see Deguchi, K. (61) 123
Kao, J.-T., see Chang, C.J. (61) 191
Kawatani, M., Suzuki, T. and De Groat, W.C.
Corticotropin releasing factor-like immunoreactivity in afferent projections to the sacral spinal cord of the cat (61) 218
Keast, J.R., see Luckensmeyer, G.B. (61) 6
Kishi, E., see Takahashi, A. (61) 181
Komuro, T. and Zhou, D.-S.
Anti-c-*kit* protein immunoreactive cells corresponding to the interstitial cells of Cajal in the guinea-pig small intestine (61) 169
Kuchiiwa, S. and Kuchiiwa, T.
Autonomic and sensory innervation of cat molar gland and blood vessels in the lower lip, gingiva and cheek (61) 227
Kuchiiwa, T., see Kuchiiwa, S. (61) 227
Kummer, W., see Myers, A. (61) 162

Lai, C.-W., see Chang, C.J. (61) 191
Lea, R.W., see Williams, R.M. (61) 37
Leal-Cardoso, J.H., see Cavalcante de Albuquerque, A.A. (61) 139
Lee, T.-L., see Chang, C.J. (61) 191
Lehnert, H., see Forst, T. (61) 31
Leong, S.-K., see Liu, H.-P. (61) 248
Lichtwald, K., see Forst, T. (61) 31
Liu, H.-P., Tay, S.-S.-W. and Leong, S.-K.
Nitrergic neurons in the pancreas of newborn guinea pig: their distribution and colocalization with various neuropeptides and dopamine-β-hydroxylase (61) 248
Low, P.A., see Novak, V. (61) 313
Luckensmeyer, G.B. and Keast, J.R.
Immunohistochemical characterisation of viscerofugal neurons projecting to the inferior mesenteric and major pelvic ganglia in the male rat (61) 6
Lutz, T.A., Niijima, A. and Scharrer, E.
Intraportal infusion of 2,5-anhydro-D-mannitol increases afferent activity in the common hepatic vagus branch (61) 204

Macefield, V.G. and Wallin, B.G.
The discharge behaviour of single sympathetic neurones supplying human sweat glands (61) 277
Malpas, S.C., Head, G.A. and Anderson, W.P.
Renal responses to increases in renal sympathetic nerve activity induced by brainstem stimulation in rabbits (61) 70
Maruyama, Y., see Takahashi, A. (61) 181
Masayuki Ando, , see Ando, Y. (61) 145
Matsuda, H., see Shibahara, N. (61) 109
McCulloch, P.F., see Yavari, P. (61) 195
McKernan, A.M. and Calaresu, F.R.
Insulin microinjection into the nucleus tractus solitarii of the rat attenuates the baroreceptor reflex (61) 128
Miura, M., Okada, J., Takayama, K. and Jingu, H.
Barosensitive and chemosensitive neurons in the rat medulla: A double labeling study with c-Fos/glutamate, GAD, PNMT and calbindin (61) 17
Morris, J.L., see Anderson, R.L. (61) 51
Morrow, G.R., see Muth, E.R. (61) 201
Muth, E.R., Morrow, G.R., Jiang, W., Stern, R.M. and Dubeshter, B.
Cardiac spectral power reflects parasympathetic but not sympathetic nervous system activity in a clinical population (61) 201
Myers, A., Undem, B. and Kummer, W.
Anatomical and electrophysiological comparison of the sensory innervation. of bronchial and tracheal parasympathetic ganglion neurons (61) 162

Nadeau, R., see Abadie, C. (61) 269
Naito, J., Ishikawa, H., Ohmori, Y. and Watanabe, T.
Cells of origin of spinal projections from the paraventricular nucleus (PVN) of the hypothalamus in the chicken (61) 321
Nakabayashi, H., see Nishizawa, M. (61) 149
Nakagawa, A., see Nishizawa, M. (61) 149
Niijima, A.
The afferent discharges from sensors for interleukin 1β in the hepatoportal system in the anesthetized rat (61) 287
Niijima, A., see Lutz, T.A. (61) 204
Niijima, A., see Nishizawa, M. (61) 149
Nishioka, M., see Deguchi, K. (61) 123
Nishizawa, M., Nakabayashi, H., Uchida, K., Nakagawa, A. and

Niijima, A.
The hepatic vagal nerve is receptive to incretin hormone glucagon-like peptide-1, but not to glucose-dependent insulinotropic polypeptide, in the portal vein (61) 149
Nordgren, S., see Buntzen, S. (61) 243
Novak, P., see Novak, V. (61) 313
Novak, V., Novak, P., Opfer-Gehrking, T.L. and Low, P.A.
Postural tachycardia syndrome: time frequency mapping (61) 313

Obayashi, K., see Ando, Y. (61) 145
Ohmori, Y., see Naito, J. (61) 321
Ohmori, Y., see Suzuki, M. (61) 79
Okada, J., see Miura, M. (61) 17
Opfer-Gehrking, T.L., see Novak, V. (61) 313
Ouyang, A., Zimmerman, K., Wong, K.-L., Sharp, D. and Reynolds, J.C.
Effect of celiac ganglionectomy on tachykinin innervation, receptor distribution and intestinal responses in the rat (61) 292

Pagé, P., see Abadie, C. (61) 269
Panneton, W.M., see Yavari, P. (61) 195
Pfützner, A., see Forst, T. (61) 31
Proctor, G.B., see Garrett, J.R. (61) 26

Quintin, L., see Frugière, A. (61) 87

Reynolds, J.C., see Ouyang, A. (61) 292
Robertson, D., see Fritz, J.D. (61) 1
Rorie, D.K., see Ward, L.E. (61) 235
Rush, R.A., see Brock, J.A. (61) 97

Sasaki, I., see Deguchi, K. (61) 123
Scharrer, E., see Lutz, T.A. (61) 204
Schmitz, H., see Forst, T. (61) 31
Sharkey, K.A., see Williams, R.M. (61) 37
Sharp, D., see Ouyang, A. (61) 292
Shibahara, N., Matsuda, H., Umeno, K., Shimada, Y., Itoh, T. and Terasawa, K.
The responses of skin blood flow, mean arterial pressure and R–R interval induced by cold stimulation with cold wind and ice water (61) 109
Shimada, Y., see Shibahara, N. (61) 109
Singh, J., see Williams, R.M. (61) 37
Stebbing, M.J., see Young, H.M. (61) 103
Stern, R.M., see Muth, E.R. (61) 201
Stuesse, S.L., see Wallick, D.W. (61) 257
Suhr, O., see Ando, Y. (61) 145
Suzuki, M., Ohmori, Y. and Watanabe, T.
Projections of neurons in the intestinal nerve of Remak to the chicken intestine (61) 79
Suzuki, T., see Kawatani, M. (61) 218

Takahashi, A., Ishimaru, H., Ikarashi, Y., Kishi, E. and Maruyama, Y.
Effects of hepatic nerve stimulation on blood glucose and glycogenolysis in rat liver: Studies with in vivo microdialysis (61) 181
Takayama, K., see Miura, M. (61) 17
Takeuchi, H., see Deguchi, K. (61) 123
Tashima, K., see Ando, Y. (61) 145
Tay, S.-S.-W., see Liu, H.-P. (61) 248
Terasawa, K., see Shibahara, N. (61) 109
Touge, T., see Deguchi, K. (61) 123
Tsukaguchi, M., see Deguchi, K. (61) 123
Tyce, G.M., see Ward, L.E. (61) 235

Uchida, K., see Nishizawa, M. (61) 149
Uchino, M., see Ando, Y. (61) 145
Umeno, K., see Shibahara, N. (61) 109
Undem, B., see Myers, A. (61) 162

Van Helden, D.F., see Brock, J.A. (61) 97

Wallick, D.W. and Stuesse, S.L.
Comparison of inotropic and chronotropic effects of vasoactive intestinal peptide in isolated dog atria (61) 257
Wallin, B.G., see Macefield, V.G. (61) 277
Ward, L.E., Hunter, L.W., Grabau, C.E., Tyce, G.M. and Rorie, D.K.
Nitric oxide reduces basal efflux of catecholamines from perfused dog adrenal glands (61) 235
Watanabe, T., see Naito, J. (61) 321
Watanabe, T., see Suzuki, M. (61) 79
Weinhardt, C., see Curt, A. (61) 175
Weinreich, D., see Cavalcante de Albuquerque, A.A. (61) 139
Williams, R.M., Bauce, L., Lea, R.W., Singh, J. and Sharkey, K.A.
Secretion and serotonin release in the isolated rat lacrimal gland: the effects of substance P and calcitonin gene-related peptide (61) 37
Wong, K.-L., see Ouyang, A. (61) 292

Yamashita, T., see Ando, Y. (61) 145
Yamazaki, T. and Akiyama, T.
Effects of locally administered desipramine on myocardial interstitial norepinephrine levels (61) 264
Yavari, P., McCulloch, P.F. and Panneton, W.M.
Trigeminally-mediated alteration of cardiorespiratory rhythms during nasal application of carbon dioxide in the rat (61) 195
Yonemitsu, M., see Ando, Y. (61) 145
Young, H.M., Ciampoli, D., Johnson, P.J. and Stebbing, M.J.
Inhibitory transmission to the longitudinal muscle of the mouse caecum is mediated largely by nitric oxide acting via soluble guanylyl cyclase (61) 103

Zhang, X.S., see Garrett, J.R. (61) 26
Zhou, D.-S., see Komuro, T. (61) 169
Zimmerman, K., see Ouyang, A. (61) 292